

Instant solutions for Automotive Repair & Maintenance











SUPER REPAIR





Bonds instantly and repairs in minutes

Super Repair is a two-component instant adhesive. It can fill gaps of any size and volume, and cures in 5 minutes to become a tough, machinable material. It is ideal for **repairing plastic parts** and for **strengthening and stiffening components**.



Bonds in 30 seconds



Extreme strength and toughness



Hardens in 5 min



Fills and reconstructs



Multimaterial



Can be drilled, tapped, sanded, painted



Impact resistant

Typical applications

- reconstruct broken clips
- bond insulating sheet
- bumper repair
- spoiler and apron repair
- air vent mending
- car fender touch ups and in-fills
- headlight clips bond and repair
- lock-in and repair parking sensors
- side mirrors repair
- restore door clips and repair door panels
- roof skin bonding
- instrument panel repair







SOLDADURA ADHESIVA SUPERFLEX





The world's first instant elastic adhesive

Superflex is a bulk-curing, elastic, instant adhesive. It cures in 5 minutes to become a **flexible and elastic material** with >200% elongation. It is ideal for repairing parts that move relative to each other, that **vibrate and flex**. It is also used for sealing against air and draughts and spacing parts that move, squeek and vibrate.



Bonds in 30 seconds



Absorbs impacts and vibrations



Solidifies in 5 min



Flexible & Elastic
High Elongation >200%



Gap Curing



Non odor Non irritant, Non lachrymatory



Non staining

Typical applications

- leather repair
- seating repair
- elastic seam sealing
- joint sealing
- rubber door sealing
- lock-in and repair parking sensors
- flexible bonding
- sealing draughts and leaks
- flooring and panel bonding
- consoles (no whitening)
- roof skin and sun visors
- dampen vibrations








&AF series

The AF and BX series are general purpose, high quality, instant adhesives. They bond a wide range of substrates, and develop very high strength on close-fitting parts in seconds. The BX series have no odour, do not stain dark coloured parts or glass and are formulated to be more flexible.







Flexible



Non staining



Multimaterial & Surface Insensitive



Wide Viscosity Range



Bonds in seconds


Typical applications

- general purpose
- metal to metal bonding
- rubber to metal bonding
- rubber joints, o-rings, seals
- emblems bonding
- washer nozzle repair
- headlinings
- dashboard repairs
- pvc seat repair
- fabrics bonding
- glass bonding
- loud-speaker repair



The full range









Product base	Ethyl cyanoacrylate
Fixture time	25 - 60 seconds
Open time	5 - 8 minutes
Operating temperature	-40° to +80°C
Color	Translucid
Shear strength (after 24h)	in kg/cm ²
Blasted Steel	191
PVC	123*
Beech Wood	142*
Characteristics	Gap Filling
TELL	Fast Cure
	High Toughness
	Highly machinable

1	Methoxyethyl cyanoacrylate	
	25 - 60 seconds	
-	5 minutes	
	-40° to +80°C	
	Transparent	
	in kg/cm ²	
	81	
	33	
	35	
	Gap Filling	
	Fast Cure	
	Flexible and Elastic	
	Zero Odor	

	Methoxyethyl cyanoacrylate
١	20 - 50 seconds
4	2 hours
	-40° to +80°C
	Transparent
	in kg/cm ²
	132
	98*
	158*
	Zero Odor
	Low blooming
	High Flexibilty
	High Speed, High Strength

Ethyl cyanoacrylate
10 - 40 seconds
2 hours
-40° to +80°C
Transparent
in kg/cm ²
191
123*
142*
High Speed High Strength High Quality Multisubstrate

* Substrate failure



- gap-curing instant adhesive
- specifically formulated for metals
- 204 kg/cm² strength on Aluminium
- 40 minutes open time





- transparent
- transparent
- 30 minutes open time
- perfect for time-consuming projects

RAPID ASSEMBLY



- assembly instant adhesive
- easy dispensing, repositionable
- flexible
- thixotropic gel
- 2 hours open time

