

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Afinitica AF200
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useThis product is a cyanoacrylate-based adhesive.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Afinitica Technologies s.l. Edifici Eureka, Campus UAB 08193 Bellaterra Barcelona, Spain Tel: +34 611428953

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone Tel: +34 611428953

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H335)

2.2. Label elements

Contains ethyl-2-cyanoacrylate



Signal word Warning

Hazard statements

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Europe - BE Page 1/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

H335 - May cause respiratory irritation.

EU Specific Hazard Statements

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing vapours

P280 - Wear protective gloves and eye/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Polymerises with evolution of heat. Will bond to skin. Bonds skin and eyes in seconds. Combustible liquid.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
ethyl-2-cyanoacrylate	230-391-5	7085-85-0	80 - 100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	01-2119527766- 29-XXXX
6,6'-di-tert-butyl-2,2'-met hylenedi-p-cresol	204-327-1	119-47-1	0.1- <1	Repr. 2 (H361f) Aquatic Chronic 4 (H413)		[8]
Hydroquinone	204-617-8	123-31-9	0.01 - <0.1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute = 10) (M Factor Chronic = 1)		01-2119524016- 51-XXXX

NOTE [8] - No registration number is given for this substance because it is under the threshold in REACH Article 6(1) and not subject to the

Europe - BE Page 2/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

registration requirements according to REACH Title II

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get

medical attention immediately if symptoms occur.

Eye contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Do not rub

affected area. Get medical attention if irritation develops and persists.

Skin contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Wash off immediately with soap and plenty of water for at least 15 minutes. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Bonded areas may be gently peeled apart using a blunt object such as a spoon. Do not

remove clothing if adhering to skin. Polymerises with evolution of heat.

Ingestion Ensure breathing passages are not obstructed. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Call a doctor. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly

separate the solidified product from the mouth (several hours).

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with

skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Europe - BE Page 3/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. In the event

of fire, cool tanks with water spray. Bonds skin and eyes in seconds.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid contact

with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not use cloths for mopping up. Flood with water to complete polymerization and

scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. See section 8 for more information. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory

equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using

this product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Europe - BE Page 4/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

--

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s)

This product is a cyanoacrylate-based adhesive.

Identified uses

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Hydroquinone (123-31-9)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Dermal	3.33 mg/kg bw/d			
worker Long term Systemic health effects	Inhalation	2.1 mg/m³			

Derived No Effect Level (DN	EL)		
Hydroquinone (123-31-9)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	1.66 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	1.05 mg/m³	
Consumer Long term Systemic health effects	Oral	0.6 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Hydroquinone (123-31-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.57 μg/l
Freshwater - intermittent	1.34 μg/l
Marine water	0.057 μg/l
Freshwater sediment	0.0049 ma/ka dry weight

Europe - BE Page 5 / 13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

Marine sediment 0.00049 mg/kg dry weight
Soil 0.00064 mg/kg dry weight

Soil 0.00064 r
Sewage treatment plant 0.71 mg/l

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection

Recommended Use:. Nitrile rubber. Glove thickness > 0.4 mm. Latex gloves.
Polyethylene. Polypropylene. Glove thickness >= 0.15 mm. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard

Polymerisation can occur

EN 374

Skin and body protection Wear suitable protective clothing. Respiratory protection None under normal use conditions.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourColourlessOdourIrritating

Odour threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution) No data available
Melting point / freezing point No data available

Initial boiling point and boiling 80 °C

range

Flash point 82.5 °C
Evaporation rate No data available
Flammability Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableRelative vapour densityNo data availableRelative densityNo data available

Water solubility Product cures with moisture

Solubility(ies) No data available

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No data available
No data available
No data available

Dynamic viscosity 230 - 350 mPa s @ 25 °C

Explosive properties No data available
Oxidising properties No data available

9.2. Other information

Solid content (%) No information available

Europe - BE Page 6/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

VOC Content (%)

Liquid Density No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials Alcohols. Alkali. Amines. Water.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Bonds skin and eyes in

seconds. Causes serious eye irritation. (based on components). May cause redness,

itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Bonds skin and eyes in

seconds. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Europe - BE Page 7/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

Numerical measures of toxicity

Acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD	>2000 mg/Kg (Oryctolagus	<21.1 mg/L (Rattus) 1 h
7085-85-0	401	cuniculus) OECD 402	-
6,6'-di-tert-butyl-2,2'-methylene	>10000 mg/kg (Rattus)	> 10000 mg/kg (Oryctolagus	
di-p-cresol		cuniculus)	
119-47-1			
Hydroquinone	390 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus	
123-31-9		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Hydroquinone	Muta. 2
123-31-9	

Carcinogenicity

Based on available data, the classification criteria are not met.

Chemical name	European Union
Hydroquinone	Carc. 2
123-31-9	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Europe - BE Page 8/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

 $\label{lem:condition} \textbf{Endocrine disrupting properties} \qquad \text{No information available}.$

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
6,6'-di-tert-butyl-2,2'-m ethylenedi-p-cresol 119-47-1	-	LD50 (96h) >5mg/L	-	-		
Hydroquinone 123-31-9	EC50: =0.335mg/L (72h, Pseudokirchneri ella subcapitata) EC50: =13.5mg/L (120h, Desmodesmus subspicatus)	,	EC50 = 0.038 mg/L 15 min EC50 = 0.0382 mg/L 30 min EC50 = 0.042 mg/L 5 min EC50 = 23.75 mg/L 60 min	EC50: =0.29mg/L (48h, Daphnia magna)		1

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information			
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (119-47-1)			
Method	Exposure time	Value	Results
OECD Test No. 301C: Ready	28 days		0 % Not readily
Biodegradability: Modified MITI Test	-		biodegradable
(I) (TG 301 C)			

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	>3.6	840
119-47-1		
Hydroquinone	0.5	40
123-31-9		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

Europe - BE Page 9/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
ethyl-2-cyanoacrylate	The substance is not PBT / vPvB
7085-85-0	PBT assessment does not apply
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	The substance is not PBT / vPvB
119-47-1	
Hydroquinone	The substance is not PBT / vPvB
123-31-9	PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

European Waste Catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information

Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

IMDG

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Moving polystopt

Not regulated
Not regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN3334

14.2 Proper Shipping Name Aviation regulated liquid, n.o.s (ethyl-2-cyanoacrylate)

14.3 Transport hazard class(es) 9
14.4 Packing group

Description UN3334, Aviation regulated liquid, n.o.s (ethyl-2-cyanoacrylate), 9, III

14.5 Environmental hazards Not applicable

14.6 Special Provisions A27

Europe - BE Page 10/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

Limited Quantity (LQ) 30 kg G

ERG Code 9A

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
ethyl-2-cyanoacrylate	RG 66
7085-85-0	RG 65
Hydroquinone 123-31-9	RG 65

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW

Europe - BE Page 11/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

(Netherlands)
Not Listed

Denm<u>ark</u>

Registration number(s) (P-no.) No information available

Norway

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 20-Nov-2020

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Europe - BE Page 12/13

Afinitica AF200 Revision date 20-Nov-2020 Supercedes Date: 08-May-2021 Revision Number 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 13/13